Arena Water Trailer Superior Dust Control

Arena Dust Control Trailer

Moistens dirt and maintains dust control, keeping your competition area safe. Sprayer creates the proper dirt consistency and precise moisture needed for a level, dustfree surface. Ensure reliable, consistent footing and rider safety with our heavy-duty arena water trailers.

The Right Water Trailer

Consistent water distribution is vital for both indoor and outdoor arenas. Use to moisten dirt for your arena groomer or controlling dust on the roads and parking lots around your facility. Ideal for:

- Horse arenas
- Arena dirt packing
- Stall cleaning and spraying
- Dog racing tracks
- Motocross
- Cleaning arena drags
- Go-kart facilities




Importance of Arena Maintenence

For indoor and outdoor arenas to stay at their peak, keeping them well-maintained is essential. Arena's provide horses with the right amount of cushion, good traction, and minimal dust. The base of the horse arena can last a decade, but care and maintenance affects its durability.



Maintaining moist footing is essential in a riding arena. The stability of the footing is dependent on routine watering, which helps bond sand fibers together and contributes to optimal arena conditions. Keeping your arena at its best helps eliminate inconsistencies, keeps the arena dust-free, and builds confidence in your horses.




For more complete information on One Clarion products and solutions, visit us on the web at: www.clarionmunicipal.com or call us at : (+1) 863-261-8388 | info@oneclarion.com

© 2023 One Clarion. All rights reserved. One Clarion terms and conditions apply.



300 Gallon AquaDot Arena Water Trailer



Features & Benefits

- Easy transportation around facilities
- Manuverable to reach tight spaces
- Quickly cleans stall and parking areas
- Standard or adjustable hitch







SPECIFICATIONS 300 Gallon AquaDot Arena Water

Product Number: OC AquaDot-Arena Water Trailer 300 Gallon -Non DOT

Tank: 300 gal Norwesco tank

Frame: Heavy duty low profile, Powder coated painted

Engine & pump: 5.5 HP Honda gas engine, 2" Banjo cast iron pump

Tires: 11L-15 Implement tread tires

Jack: 15" Jack Safety chains

Hitch: Choice of adjustable height hitch or standard clevis hitch

Warranty: 5 year frame warranty, 3 year non-prorated warranty on tank

Spraying: Rear dust control nozzle


Size & Weight: $126''(L) \times 54''(H) \times 83''$ (W), Dry weight and tank- 900 lbs



Includes:

- 3-year non-prorated warranty tank
- 5.5 HP GX160 Honda engine and 2" Banjo cast iron pump
- Recirculation plumbing kit control the proper volume of water flow to nozzle or hose bibb.
- Dust control nozzle -Stainless steel spray nozzle is adjustable from 8' wide to 35'. Spray approximately 25' deep from the rear.
- Hose bibb KIT Pressure side, valve and 3/4" MGHT fitting - Hose bibb connection to attach garden hose if needed.

500 Gallon Elliptical AquaDot Dust Control



Consistent, Reliable Control

Maintain your entire arena complex. Our versatile skid sprayers can easily be loaded in UTVs, ATVs, trailers or pickup trucks to use anywhere in your arena.










SPECIFICATIONS

500 Gallon Elliptical AquaDot Dust Control Skid


Product Number:	OC AquaDot Elliptical Arena Skid 500 Gallon
Tank:	500 gal. Elliptical tank
Skid Frame:	Powder blue frame
Engine & Pump:	5,5 HP GX160 Honda engine 2" Banjo cast iron pump
Warranty:	I year frame warranty 3 year non-prorated tank warranty
Spraying:	Dust control nozzle Hose bib kit Plumping recirculation kit
Size & weight:	96"(L) x 57" (W), Dry weight frame & tank - 800 lbs



Includes:

- 5.5 GX160 Honda engine and 2" Banjo cast iron pump
- Recirculation plumbing kit control proper volume of water flow to nozzle or the hose bibb.
- Dust control Nozzle-Stainless steel spray nozzle, adjustable from 8' wide to 35' and spray approximately 25' deep from the rear. The nozzle is perfect for arenas, tracks, mining roads, parking areas.
- Hose Bibb Kit Pressure side, valve and 3/4" MGHT fitting

525 Gallon AquaDot Arena Water Trailer



- Heavy duty frames
- Built-In rear spray bar
- Provides consistent footing









SPECIFICATIONS 525 Gallon AquaDot Arena Water Trailer

Product Number:	OC AquaDot-Arena Water Trailer 525 Gallon- AG-Non-DOT	
Tank:	525 gal. Norwesco tank	
Frame:	Powder coated painted, extra heavy duty 5" channel iron frame, reinforced, back of frame extends 2" past end of tank to reduce accidental damage	
Engine & pump:	5.5 HP GX160 Honda engine and 2" Banjo cast iron pump	
Tires:	Standard implement tires, IIL x 15 with 15 x 10 wheels	
Tank Supports:	2" x 6" Rectangular tubing cross member tank supports	
Jack:	15000 lbs safety chains, heavy duty fold away jack - folds away into the frame	
Hitch:	Choice of adjustable height hitch or standard clevis hitch	
Warranty:	5 year frame warranty, 3 year non-prorated warranty on tank	
Filling:	2" x 6" Rectangular tubing cross member tank supports	
Suspension:	8000 Lbs slipper spring suspension	
Spraying:	Rear dust control nozzle	
Size & weight:	Dry weight trailer and tank-979 lbs. $148''(L) \times 80''(H) \times 84''(W)$	



Includes:

- 3 year non-prorated warranty on tank
- 5.5 HP GX160 Honda engine and 2" Banjo cast iron pump.
- Recirculation plumbing kit control proper volume of water flow to nozzle or hose bibb.
- Dust control nozzle -Stainless steel spray nozzle, adjustable from 8' wide to 35'. Spray approximately 25' deep from the rear.
- Hose bibb KIT Pressure side, valve and 3/4" MGHT fitting-hose bibb connection to attach garden hose if needed.



Features & Benefits

- Complete spray coverage
- Ready for immediate use
- Variety of sizes for multiple jobs







SPECIFICATIONS

1010 Gallon AquaDot Arena Water Trailer

Product Number:	OC AquaDot-Arena Water Trailer 1010 Gallon: non-DOT	
Tank:	: Norwesco leg tank fully drainable	
Frame:	Extra heavy duty 6" channel iron frame, powder coat paint, back of the frame is extended 2" to act as a bumper	
Engine & pump:	5.5 HP GX160 Honda engine and 2" Banjo cast iron pump, mounting inside tongue for greater protection	
Axle:	Extra heavy duty cambered axles, tandem axle 16000 lbs	
Tires:	IIL x 15 AG Implement tires, 15×10 wheels	
Tank supports:	2" × 6" rectangular tubing cross-member tank supports	
Jack:	Heavy duty jack that folds up inside the frame, 15000 lb. safety chains	
Hitch:	Choice of adjustable height hitch or standard clevis hitch	
Warranty:	5 year frame warranty , 3 year non-prorated warranty on tank	
Suspension:	8000 lb. slipper spring suspension	
Spraying:	Rear dust control nozzle	
Size & weight:	221"(L) x 877"(H) x 87" (W), dry weight trailer and tank-1600 lbs	







Includes:

- 5.5 HP GX160 Honda engine and 2" Banjo cast iron pump
- Recirculation plumbing kit control proper volume of water flow to nozzle or the hose bibb.
- Dust control nozzle -Stainless steel spray nozzle is adjustable from 8' wide to 35' spray approximately 25' deep from the rear. The nozzle is perfect for arenas, dog racing tracks, motorcross, parking areas.







- control proper volume of water flow to
- remote) -The powerful stainless steel wide to 35' and spray approximately 25' deep from the rear. The nozzle is perfect for arenas, tracks, mining roads, parking areas.
- Hose bibb KIT Pressure side, valve and 3/4" MGHT fitting - Hose bibb connection for customer to attach their own garden hose if needed.



SPECIFICATIONS I 6 I 0 Gallon AquaDot Arena Water Trailer

Tank:	Norwesco fully drainable tank	
Frame:	ne: Extra heavy duty 7" channel iron frame, 5-year trailer frame warranty, Powder coat paint	
Engine & Pump:	5.5 HP GX160 Honda engine and 2" Banjo cast iron pump	
Axle:	Slipper springs (tandem axle)	
Tires:	Standard implement tires 11L x 15 with 15 x 8" wheels 6-hole plugs	
Tank Supports:	Heavy duty cross member tank supports	
Jack:	10,000 lb. top wind drop leg jack	
Hitch:	Choice of adjustable height hitch or standard clevis hitch	
Warranty:	5 year frame warranty, 3 year non-prorated warranty on tank	
Suspension:	5200 Lbs single torsion spring suspension	
Spraying:	Hose reel with stand	
Size & Weight:	221"(L) × 77"(H) × 87" (W)	

- Reliable watering for arenas
- Powerful pump with 3 year warranty
- Easy to tow around arena complex
- No additional equipment needed







What makes AquaDot trailers different?



We've got you covered

Very few (if any) of our competitors believe in their manufacturing process enough to offer a 5 year frame warranty and I year skid frame warranty. Our trailers are different; we take pride in providing the best product possible, delivered to your door. In addition to our manufacturer's frame warranty, we use only Norwesco tanks which provide a 3 year non-prorated tank warranty. Most all other tank manufacturers offer a prorated warranty, meaning if the tank is 75% through its warranty period that the warranty only covers 25% of the cost to replace the warranted tank. However, unlike the industry standard, we use tanks with a non-prorated warranty. What that means to you is that 100% of the tank is covered for the entire warranty period.

Stronger than the average

While commonly used for water hauling and spraying, our trailers are actually built to withstand use with heavier liquids. This gives you flexibility and peace of mind in knowing that your multi-purpose trailer can safely handle whatever you need. They are built to safely haul liquids such as water-based fertilizers (up to 11 lbs/gallon), whereas water weighs only 8.32 lbs/gallon. The frame also has high strength and active use with a manufacturing process that avoids cutting the channel iron wherever possible. Instead, the iron is bent and formed into shape, eliminating common weak points that are common with many other trailer frames. To add extra strength and ensure that there are no frame issues where the channel iron is bent, we reinforce it along the outside edge as well.

Things you don't see do matter

Have you ever purchased a trailer, only to find after a few months that rust is already showing? This results from a manufacturer that's more concerned with speed than with quality. You won't find that with AquaDot trailers. Our trailers get a good scrubbing before the powder coat paint finish is applied. Attention to even little details like this help ensure a long life for your trailer and are important to us.

Freight savings, shorter lead times, delivered fully assembled


Select the shipping location that best fits your needs for freight and lead time. We ship from AL, AZ, CA, KS, KY, MN, ND, NE, WA. There's no need to wait for lead times of today's world - we always keep a supply of the AquaDot trailers in production.

For more complete information on One Clarion products and solutions, visit us on the web at: www.clarionmunicipal.com or call us at : (+1) 863-261-8388 | info@oneclarion.com

© 2023 One Clarion. All rights reserved. One Clarion terms and conditions apply.



500 gallon Arena Water Wagon



SPECIFICATIONS 500 gallon Arena Water Wagon

Part#	AD-ADC-0500-W
Tank:	500 gallon tank
Frame:	Extra heavy duty 6" channel iron frame, black acryllic paint on frame
Engine & Pump:	4 HP Honda engine and 2" Banjo poly pump
Axle:	Slipper springs (tandem axle)
Tires:	Standard implement tires $11L \times 15$ with 15×8 " wheels 6-hole plugs
Tank Supports:	Heavy duty cross member tank supports
Jack:	Heavy duty fold away jack - folds away into the frame
Hitch:	Adjustable height clevis hitch
Warranty:	I-Year frame warranty, I-year warranty on elliptical tank
Suspension:	5200 lbs Single torsion spring suspension
Spraying:	25' of 1.5" Hose with fire nozzle, galvanized rear spray bar
Size & Weight:	148"(L) x 64"(H) x 78" (W), Dry weight trailer and tank-850 lbs

- Reliable Honda engine and Banjo pump
- Heavy duty frame
- Great maneuverability
- Durable, reliable frame and tank
- Ready to use
- Wide coverage area







1025 gallon Arena Water Wagon









Includes:

- 1-year Warranty on tank
- 4 HP Honda engine and 2" Banjo poly pump
- 25' of 1.5 hose with fire nozzle for spot spraying and targeted areas
- 2" x 20' Suction fill hose with screen
- Galvanized rear spray bar
- 1.5' Ratchet on/of ball valve for quick hauling capabilities
- Dual tandem axle for greater stability and maneuvering.



SPECIFICATIONS 1025 gallon Arena Water Wagon

Part#	AD-ADC-1025-W
Tank:	1025 gallon tank
Frame:	Extra heavy-duty 6" channel iron frame, powder coat paint
Engine & Pump:	4 HP Honda engine and 2" Banjo poly pump
Axle:	14,000 Lbs Tandem axle
Tires:	Standard Implement tires IIL x 15 with 15 x 8" wheels 6-hole plugs
Tank Supports:	Heavy duty cross member tank supports
Jack:	Heavy duty fold away jack - folds away into the frame
Hitch:	Adjustable height clevis hitch
Warranty:	I year frame and tank warranty,
Spraying:	25' of 1.5" Hose with fire nozzle, galvanized rear spray bar
Size & Weight:	200"(L) \times 82"(H) \times 80" (W), Dry weight trailer and tank-1800 lbs

- Tandem axle for added stability
- Wide spray range
- Suction hose for flexible filling
- A variety of uses for farm and off-road use







Additional Water Trailer and Skid Options

300, 525, 1010, and 1610 Gallon AquaDot Arena Water trailer	500 Gallon Elliptical AquaDot Dust Control Skid	500 and 1025 Gallon Arena Water Wagon
 2" PVC Suction hose 20' kit with strainer- with or without stand 12 Volt remote control sprayer on/off functionality. Hose reel w/stand, 100' of 1" hose & fire nozzle spray approximately 50-60 feet horizontal jet. 15-20 feet vertical 2" or 2 5/16" Ball coupler hitch DOT Package: Electric brakes, fenders, LED lighting, reflector, 10 ply highway rated tires 	2" PVC Suction hose 20' kit with strainer- with or without stand 12 Volt remote control sprayer on/off functionality 1" Manual rewind hose reel 50' of 1" EPDM Hose	 12 Volt bluetooth on/off valve for spray bar 12 Volt bluetooth on/off valve with hand remote kit. 50' of 1" Mounted hose hand crank reel, 180° swivel with fire nozzle Fire hydrant and pond fill kit Side water spray kit- up to 15' swath Anti siphon fill kit, 500-gal trailer only 100' of 1" red hose with fire nozzle





For more complete information on One Clarion products and solutions, visit us on the web at: www.clarionmunicipal.com or call us at : (+1) 863-261-8388 | info@oneclarion.com

 $\ensuremath{\textcircled{\sc l}}$ 2023 One Clarion. All rights reserved. One Clarion terms and conditions apply.

