

Containment Boom The debris stops here.

Floating debris negatively affects our environment in a number of ways. Posing threats to fish, birds, marine life and quality of life in general. The series of booms is designed to collect, divert and control waterborne pollutants and is a integral part of any aquatic debris mitigation plan.

The information and photos listed here are a guideline of the most common specifications for this product. As a service to you, we will provide comparable products fitting the specifications needed for your project and present you with the best priced options available.



Containment Boom The debris stops here.

Made from a marine grade PVC, these barriers are designed to float on the water blocking or containing debris. Strong, durable and easy installation are a few of the reasons why Booms are a favorite for industry, homeowners, golf courses and construction companies looking to contain or control debris.

Applications

The floating debris boom has been used for both long and short term deployment in both saltwater and freshwater environments.

Common items contained

- Floating Plastic, Wrappers, Cups and Trash
- Seaweed
- Large Particles or Timbers
- Leaves and Branches
- Aquatic Plants
- Tsunami, Hurricane or Marine trash

Debris Boom Color Options

The standard color for all containment booms is yellow. However, booms are also available in colors that blend into the surrounding environment.

- Green
- Blue
- Black

Suggested Accessories

 Anchor Kits, Buoys, Shoreline Connectors, Tow Bridles and Floating Marker Lights











Calm Water Operating Environment

Sku	Style	Float	Chain	Cable	Skirt Material	Tensile Strength	Overall Height	Classification Standard	Bouyancy
705	10CSST	4"	1/4"	N/A	22oz. PVC	5,000 lbs	10"	ASTM (1523)	3.52
710	IICHST	4"	1/4"	5/16"	22oz. PVC	15,540 lbs	11"	ASTM (1523)	2.83
720	18CXST	6"	I/4"	N/A	22oz. PVC	5,000 lbs	18"	ASTM (1523)	6.17

Protected Water Operating Environment

Sku	Style	Float	Chain	Cable	Skirt Material	Tensile Strength	Overall Height	Classification Standard	Bouyancy
715	I 3MSST	6"	I/4"	5/16"	22oz. PVC	15,540 lbs	13"	ASTM (1523)	6.55
725	19MHST	6"	5/16"	5/16"	22oz. PVC	18,140 lbs	19"	ASTM (1523)	4.95
730	25MXST	6"	5/16"	5/16"	22oz. PVC	18, 140 lbs	25"	ASTM (1523)	4.86

Open Water Operating Environment

Sku	Style	Float	Chain	Cable	Skirt Material	Tensile Strength	Overall Height	Classification Standard	Bouyancy
740	370HST	11"	3/8"	5/16"	22oz. PVC	21,140 lbs	37"	ASTM (1523)	12.48
751	42OXST	11"	3/8"	5/16"	22oz. PVC	21,140 lbs	42"	ASTM (1523)	12.11

We are here to serve you. Just call or email with your project specifications and details, and we'll do the rest. Our goal is to provide the best solution for your project, with materials delivered on time at a price that fits nicely within your budget.

For more complete information on One Clarion products and solutions, visit us on the Web at www.clarionmunicipal.com.

Phone: (+1) 863-261-8388 | info@oneclarion.com

© 2022 One Clarion. All rights reserved. One Clarion terms and conditions apply.

All photos are representative only. Actual products may differ. Materials and specifications are subject to change without notice. Featured products in photos may include additional equipment or accessories.



